

# O-Ring [All Materials]

Applied Analytics DS-208X — Revised 19 June 2013



Applied Analytics flow cells and probes use o-rings to create safe seals and prevent any sample leaks. To properly handle hot, corrosive sample fluids, we use chemical-resistant, ultra-durable o-rings that are tested vigorously.

Several materials of construction are available to meet the needs of different applications:

- » Viton® fluoroelastomer
- » Kalrez®



is a registered trademark of Applied Analytics Group BV. | [www.a-a-inc.com](http://www.a-a-inc.com)

## Headquarters + Manufacturing

Applied Analytics, Inc.  
Burlington, MA | [sales@a-a-inc.com](mailto:sales@a-a-inc.com)

## North America Sales

Applied Analytics North America, Ltd.  
Houston, TX | [sales@appliedanalytics.us](mailto:sales@appliedanalytics.us)

## Europe Sales

Applied Analytics Europe, SpA  
Milan, Italy | [sales@appliedanalytics.eu](mailto:sales@appliedanalytics.eu)

## Asia Pacific Sales

Applied Analytics Asia Pte. Ltd.  
Singapore | [sales@appliedanalytics.com.sg](mailto:sales@appliedanalytics.com.sg)

## Middle East Sales

Applied Analytics Middle East (FZE)  
Sharjah, UAE | [sales@appliedanalytics.ae](mailto:sales@appliedanalytics.ae)

## Brazil Sales

Applied Analytics do Brasil  
Rio de Janeiro, Brazil | [sales@aadbl.com.br](mailto:sales@aadbl.com.br)

## India Sales

Applied Analytics (India) Pte. Ltd.  
Mumbai, India | [sales@appliedanalytics.in](mailto:sales@appliedanalytics.in)

© 2013 Applied Analytics Group BV. Products or references stated may be trademarks or registered trademarks of their respective owners. All rights reserved. We reserve the right to make technical changes or modify this document without prior notice. Regarding purchase orders, agreed-upon details shall prevail.